

**READ SAFETY DIRECTIONS  
BEFORE OPENING OR USING**

# Picket

## Insecticidal Concentrate

**ACTIVE CONSTITUENTS:** 100g/L PYRETHRINS  
600g/LPIPERONYL BUTOXIDE

**GROUP 3A INSECTICIDE**

**A grain protectant to prevent attack from  
rice weevil, lesser grain borer, rust red flour  
beetle, confused flour beetle, sawtooth grain  
beetle, mealworm and grain moths.**

**CONTENTS 5 litres**

**Pestech Australia** Pty Ltd

&/14-28 Ivan St Arundel Q 4214

1800 12345 7

[www.pestech.com.au](http://www.pestech.com.au)

## DIRECTIONS FOR USE:

Situation	Pests	Rate	Critical comments
Grain going into storage	Rice weevil, lesser grain borer, rust red flour beetle, confused flour beetle, sawtooth grain beetle, mealworm and grain moths	For 3g pyrethrins per tonne of grain, 1.5 litres of concentrate to 48.5 litres of clean water	Apply 1 litre of the prepared solution to 1 tonne of moving grain

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD: DO NOT USE TREATED GRAIN FOR HUMAN OR STOCK CONSUMPTION WITHIN 1 DAY OF TREATMENT

### GENERAL INSTRUCTIONS

**INSECTICIDE RESISTANCE:** some naturally occurring insect biotypes resistant to Picket and other Group 3 insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Picket and other Group 3 insecticides are used repeatedly. The effectiveness of Picket on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Pestech Australia accepts no liability for any losses that may result from the failure of Picket to control resistant insects. Picket may be subject to specific resistant management strategies. For further information, contact your local supplier, Pestech Australia Pty Ltd representative or local agricultural department agronomist.

### APPLICATION

Shake the container before opening. Measure concentrate accurately into a small amount of water and stir/agitate this pre-mix thoroughly before adding to the full quantity of water. Do NOT mix more spray solution than you will need for the day.

**PROTECTION OF LIVESTOCK** DO NOT feed treated grain to animals including poultry within one day of treatment.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:** DO NOT contaminate streams, rivers, or waterways with chemical or used containers.

### STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN. Store in the closed original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a Local Authority landfill. If not available, bury containers below 500mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

### SAFETY DIRECTIONS

Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Avoid contact with eyes and skin. Do not inhale vapour or spray mist. Wash hands after use.

**FIRST AID** If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26

### MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet which can also be found on the website: [www.pestech.com.au](http://www.pestech.com.au)

APVMA approval No 41784/5L/070

Batch:  
D.O.M.:

